R2f 71

INTERNATIONAL INSTITUTE OF AGRICULTURE
BUREAU OF THE F. A. O. AT ROME

INTERNATIONAL BULLETIN OF PLANT PROTECTION

PUBLISHED MONTHLY

YEAR XX – 1946

ROME
VILLA BORGHESE
1946

STAFF OF THE PLANT PROTECTION SECTION

Chief of Section: Professor Dr GIULIO TRINCHIERI
Councillor: Dr NORBERT VON GESCHER

Page numbers of the different issues.

January & February:
(Nos. 1 & 2) pages 1 M to 16 M.

March & April:
(Nos. 3 & 4) pages 17 M to 32 M.

May & June:
(Nos. 5 & 6) pages 33 M to 48 M.

July & August:
(Nos. 7 & 8) pages 49 M to 76 M.

September & October:
(Nos. 9 & 10) pages 77 M to 96 M.

November & December:
(Nos. 11 & 12) pages 97 M to 132 M.

INDEX TO THE 'INTERNATIONAL BULLETIN OF PLANT PROTECTION' FOR THE YEAR 1946

I. — Index of Authors.

BALDACCI, E. The presence in Italy of *Fusarium moniliforme* on rice and its phytopathological signification, 1 M.

CAVALLI L., see CIFERRI, R., and CAVALLI, L.

CIFERRI, R., and CAVALLI, L. Estimation of toxicity by the toxicity curve method according to Prigge and Schaefer, 3 M.

DEL CAÑIZO GÓMEZ, J. Manufacture and use in Spain of new synthetic insecticides, 122 M.

— Hydrocyanic acid fumigation against the olive thrips in Spain, 126 M.

DELLA BEFFA, G. Colorado beetle infestation in Piedmont, Italy, in 1945, 82 M.

FEDERAL ESTABLISHMENT FOR AGRICULTURAL EXPERIMENTS, ZURICH-OERLIKON. The appearance and advance of Colorado beetle (*Leptinotarsa decemlineata*) in Switzerland and in Liechtenstein in 1945, 38 M.

FEDERAL EXPERIMENT AND SEED TESTING STATION, LAUSANNE. The Colorado beetle in French Switzerland, 69 M, 83 M.

FLORENZANO, G. *Mycosphaerella sentina* (Fuck.) Schroet. : Occurrence of the perithecial stage in Italy and observations relative to its biology, 17 M.

— Effect on nitrogenous fertilizers on galls caused on castor-oil plants by *Bacterium tumefaciens*, 97 M.

GOIDÀNICH, G. Peach-tree decay in North Italy with phloem necrosis and degeneration of the cambium, 33 M.

— and SCARDOVI, V. Behaviour of *Sphacelotheca sorghi*, causal agent of covered smut of sorghum, on sweet sorghum cultivated in Italy, 102 M.

GRANDORI, R. Control tests on insect pests with DDT preparates, 124 M.

GRASSO, V. First contribution to the study of wheat bunt in Italy, 66 M.

HOPKINS, J. C. Two diseases recorded for the first time in Southern Rhodesia, 80 M.

JANNONE, G. Intensive development of the thistle butterfly, *Pyrameis cardui* L. (*Lep. Nymphalidae*), and an *Apanteles* its parasite, in the highlands of Eritrea, 108 M.

— Preliminary morphobiological data on a new weevil (*Lixus latro* Mrshl.) dangerous to cultivated crucifers on the Eritrean highlands, 115 M.

LUPO, V. Invasion of *Calocoris norvegicus* (Gml.) in the communes of the Vesuvius region, 105 M.

MARCHIONATTO, J. B. Factors which lowered the Argentine wheat yield in 1945, 81 M.

MILLER, P. R. The potato rot nematode *Ditylenchus destructor*, 104 M.
ROBERTI, D. A serious attack of red spider (*Tetranychus telarius*) on citrus along the Sorrento Coast, 26 M.
RUSZKOWSKI, J. First Colorado beetle focus in Poland, 114 M.
— Crop pests accidentally introduced into Poland during the war, 121 M.
SCARAMUZZI, N. A mosaic disease of the almond, 77 M.
SEMPIO, C. Metabolism of the wheat-*Erysiphe graminis* 'complex', 49 M.
TRINCHIERI, G. Material for an European Colorado beetle bibliography, 9 M, 29 M, 45 M.

II. — Subject Index.

Acanthoscelides obtectus (common bean weevil), 86 M.
Agrotis segetum, 125 M.
Almond : Mosaic disease, 77 M.
Anthonomus pomorum, 122 M.
Apanteles as a parasite of *Pyrameis cardui* in Eritrea, 108 M.
Aphtona euphorbiae, 124 M.
Bacterium tumefaciens, 97 M.
Bakanae of rice, 2 M.
Belgium : Legislative and administrative measures :
Resolution January 14, 1946 (import and export of horticultural plants, 29 M ;
Decree January 28, 1946 (regulation of sale of insecticides, fungicides, weedicides, etc.), 40 M.
Decree March 19, 1945 (fees of sanitary inspection), 44 M ;
Decree March 11, 1946 (elms attacked by *Graphium ulmi*), 71 M ;
Decree March 11, 1946 (poplars attacked by ' poplar canker '), 71 M;
Decree May 6, 1946 (measures preventing the spread of *Leptinotarsa decemlineata*), 71 M ;
Decree May 7, 1946 (measures preventing the spread of the Colorado beetle), 72 M.
Decree June 8, 1946 (capture of sparrows), 85 M.
Bibliography, Recent, 86 M, 128 M.
Brassica campestris, 108 M.
— *oleracea*, 107 M.
— *rapa*, 107 M.
Bremia lactucae, 49 M.
Bruchus (*Acanthoscelides*) *obtectus*, 121 M.
Calocoris norvegicus : Italy, 105 M.
Carduncellus, 108 M.
Carduus, 108 M.
Castor-oil plant : *Bacterium tumefaciens*, 97 M.
Cherry fruit fly, see *Rhagoletis cerasi*.
Cinara cardunculus, 109 M.
— *scolymus*, 109 M.
Cirsium, 108 M.
Citrus parasites control in Italy, 86 M.
— scales : Italy, 8 M, 73 M.
— *Tetranychus telarius* in Italy, 26 M.
Clover, 1 M.
Clysia ambiguella, 125 M.
Colaspidema atrum, 122 M.
Collar rot (on rice), 2 M.
Colorado beetle, see *Leptinotarsa decemlineata*.
Common bean weevil, see *Acanthoscelides obtectus*.
Congress (International —) of Phytopharmacy, 31 M.
Covered smut of sorghum : Italy, 102 M.
Cydia molesta, 125 M.
— *pomonella*, 122 M, 125.
D D T preparates, 124 M.
Dacus oleae, 125 M.
Depazea piricola, 17 M.
Ditylenchus destructor, 104 M.
— *dipsaci*, 104 M.
Dociostaurus maroccanus, 123 M.
Echinopus, 108 M.
Elodea canadensis, 51 M.
England and Wales : Legislative and administrative measures :
Importation of Raw Cherries Order of 1946, 85 M.

England and Wales: Measures preventing the introduction of cherry fruit fly (*Rhagoletis cerasi*), 85 M.
Erysiphe graminis, 49 M.
Ephippigerinae, 123 M.
Eritrea: *Lixus latro*, 115 M.
— *Pyrameis cardui*, 108 M.
European bibliography on Colorado beetle (*Leptinotarsa decemlineata*), 9 M, 29 M, 45 M.
Foeniculum vulgare var. *dulce*, 107 M.
French Morocco: Legislative and administrative measures:
Decree August 4, 1945 (countries invaded by the Colorado beetle, *Leptinotarsa decemlineata*), 29 M;
Decree November 20, 1945 (sanitary policy on the importation of vegetables), 73 M.
French Switzerland: Colorado beetle (*Leptinotarsa decemlineata*), 69 M, 83 M.
Fungicides, 3 M, 40 M.
Fusarium graminearum, 81 M.
— *heterosporum*, 1 M.
— *moniliforme*, 1 M.
Fusicladium pirinum, 22 M.
Gibberella fujikuroi, 2 M.
Grape downy mildew, see *Plasmopara viticola*.
Granville wilt of tobacco, see *Xanthomonas solanacearum*, 80 M.
Haltica, 124 M.
Halticus saltator, 108 M.
Hordeum vulgare, 107 M.
Hypoderma, 123 M.
Importation of Raw Cherries Order of 1946 for England and Wales, 85 M.
India: Legislative and administrative measures:
Bureau of Plant Protection and Quarantines, 85 M.
Insect pests: control by D D T preparates, 124 M.
Insecticides, 40 M.
Italy: *Calocoris norvegicus* in the Vesuvius region, 105 M.
— citrus scales in Sicily and Calabria, 73 M.
— Colorado beetle (*Leptinotarsa decemlineata*) infestation in Piedmont, 82 M.
— Degeneration of the cambium of peach-tree, 33 M.
— *Fusarium moniliforme*, 1 M.
— Legislative and administrative measures:
General Commissariat for the control of citrus scales in Sicily and in Calabria, 8 M.
— Legislative Decree of the Lieutenancy No. 806 of November 23, 1945 (locust control), 29 M; Decree-Law of the Lieutenancy No. 593 of September 13, 1945 (exemption from certain taxes), 44 M; Ministerial circular No. 109 of December 17, 1945 (control of the Colorado beetle, *Leptinotarsa decemlineata*), 72 M; Decree No. 244 of February 22, 1946 (locust control), 73 M; Ministerial Decree of March 20, 1946 (wild rabbit in Nettuno), 73 M; Ministerial Decree of April 9, 1946 (control of citrus scales in Sicily and in Calabria), 73 M; Legislative Decree of the Lieutenancy No. 222 of April 19, 1946 (locust control), 73 M; Decrees No. 316 of May 4, 1946, No. 41 of June 22, 1946 (locust campaign), 86 M; Decree No. 32 of July 1, 1946 (citrus parasites control), 86 M.
— *Mycosphaerella sentina* on pears, 17 M.
— peach-tree decay, 33 M.
— *Sphacelotheca sorghi*, 102 M.
— *Tetranychus telarius* on Sorrento Coast, 26 M.
— wheat bunt, 66 M.
Ixodidae, 123 M.
Late blight of potato, see *Phytophthora infestans*.
Lavatera, 108 M.
Legislative and administrative measures:
Belgium, 29 M, 40 M, 44 M, 71 M, 85 M.
England and Wales, 85 M.
French Morocco, 29 M.
India, 85 M.
Italy, 8 M, 29 M, 44 M, 86 M.
Rumania, 86 M.

Legislative and administrative measures: Switzerland (Vaud Canton), 8 M.
Leptinotarsa decemlineata (Colorado beetle) :
advance in :
French Morocco, 29 M.
Italy, 82 M.
Liechtenstein, 38 M.
Poland, 114 M.
Spain, 122 M.
Switzerland, 38 M, 69 M, 83 M.
— — bibliography, European, 9 M, 29 M, 45 M.
Liechtenstein : *Leptinotarsa decemlineata*, 38 M.
Liothrips oleae, 126 M.
Lixus anguinus, 116 M.
— *latro* : Eritrea, 115 M.
Locust control, 73 M, 86 M.
Longitarsus parvulus, 124 M.
Maize, 1 M.
Malva silvestris, 108 M.
— *verticillata*, 108 M.
'Man rice', 2 M.
Microgasterinae, 111 M.
Mosaic disease of the almond, 77 M.
Mycosphaerella sentina, 17, M. 26 M.
Nitrogenous fertilizers, 97 M.
Oidium moniloides, 53 M.
Olive : hydrocyanic acid fumigation against olive thrips, 126 M.
— thrips : Spain, 126 M.
Papaver rhoeas, 108 M.
Parasiticides, 40 M.
Peach-tree : Degeneration of the cambium, 33 M.
— Phloem necrosis, 33 M.
Pear scab, see *Venturia pirina*.
Phloem necrosis of the peach-tree in North Italy, 33 M.
Phlyctaenodes sticticalis, 122 M.
Phoma, 120 M.
— *oleracea*, 120 M.
Phytopharmacy : First International Congress of —, 31 M.
Phytophthora infestans (late blight of potato), 80 M, 84 M.
Phytonomus variabilis, 122 M.
Pieris brassicae, 122 M.
Plasmopara viticola (downy mildew), 19 M.
Poland : Crop pests introduced during the war, 121 M.
— *Leptinotarsa decemlineata*, 114 M.
Polychrosis botrana, 122 M, 125 M.
Potato rot nematode, see *Ditylenchus destructor*.
— wart disease, see *Synchytrium endobioticum*.
Prodenia litura, 123 M.
Puccinia graminis, 81 M.
Pyrameis cardui (*Lep., Nymphalidae*) : Eritrea, 108 M.
Rabbit (wild), 73 M.
Red spider, see *Tetranychus telarius*.
Rhagoletis cerasi (cherry fruit fly), 85 M.
Rice : bakanae of —, 2 M.
— collar rot, 2 M.
— *Fusarium moniliforme*, 1 M.
— man —, 2 M.
Ricinus (castor-oil plant), 1 M, 97 M.
Rumania : Legislative and administrative measures :
Decree No. 929 of May 14, 1946 (common bean weevil, *Acanthoscelides obtectus*), 86 M.
Sanitary policy governing the importation of vegetables in French Morocco, 73 M.
Secale cereale, 107 M.
'Seccume fogliare estivo', 17 M.
Septoria, 19 M.
— *nigerrima*, 17 M.
— *piricola*, 17 M, 25 M.
Solanum lycopersicum, 107 M.
— *tuberosum*, 107 M.
Sorghum, 1 M.
— covered smut, 102 M.
Southern Rhodesia : *Phytophthora infestans* and *Xanthomonas solanacearum* recorded for the first time in — —, 80 M.
Spain : new synthetic insecticides, 122 M.
— *Liothrips oleae* (olive thrips), 126 M.
Spermophagus subfasciatus, 122 M.
Sphacelotheca sorghi : Italy, 102 M.
Stethorus, 28 M.
Succisa, 1 M.
Synthetic insecticides : Spain, 122 M.

Switzerland : *Leptinotarsa decemlineata*, 38 M, 69 M, 83 M.
— (Vaud Canton) : legislative measures (destruction of voles and other field rodents), 8 M, (arsenical or other poisonous products), 8 M.
Synchytrium endobioticum (potato wart disease) : French Morocco, 73 M.
Tetranychus telarius (red spider) : Italy, 26 M.
Thamnotettix fuscovenosus, 108 M.
Thistle butterfly, see *Pyrameis cardui*.
Tilletia foetens, 66 M.
— *intermedia*, 67 M.
— *levis*, 66 M.
— *tritici*, 66 M.
Till tia triticoides, 67 M.
Tobacco : *Xanthomonas solanacearum* (Granville wilt of —), 80 M.
Tropinota hirta, 125 M.
Zabrus gibbus, 125 M.
Uromyces appendiculatus, 49 M.
— *fabae*, 49 M.
Venturia inaequalis (apple scab), 26 M.
— *pirina* (pear scab), 17 M.
Weedicides, 40 M.
Wheat, 1 M.
— Argentine wheat yield in 1945, 81 M.
— 'arrebatado', 81 M.
— bunt, see *Tilletia*.
— *Erysiphe graminis*, 49 M.

Printed by F. FAILLI, Printing-Office of the International Institute of Agriculture
Rome, Villa Borghese, December 31, 1946.